



SOCIEDADE
PORTUGUESA
DE QUÍMICA

ANALÍTICA 2018


9th Meeting of Division of Analytical Chemistry

26-27 MARCH, PORTO-PORTUGAL

FFUP/ICBAS – UNIVERSITY OF PORTO

www.analitica2018.eventos.chemistry.pt

**BOOK OF
ABSTRACTS**



STUDY OF 3,4-HYDROXYPYRIDINONES FUNCTIONALIZED BEADS FOR IRON(III) DETERMINATION IN A MICROSEQUENTIAL INJECTION SOLID PHASE SPECTROMETRY MODE

Joana L. A. Miranda¹, Raquel B. R. Mesquita^{1,2}, Andreia Leite², André Silva², Maria Rangel², António O. S. S. Rangel¹

¹*Universidade Católica Portuguesa, CBQF - Centro de Biotecnologia e Química Fina - Laboratório Associado, Escola Superior de Biotecnologia, Rua Arquitecto Lobão Vital, 172, 4200-374 Porto, Portugal*

²*REQUIMTE - LAQV, Instituto de Ciências Biomédicas de Abel Salazar, Universidade do Porto, Rua de Jorge Viterbo Ferreira, 228, 4050-313 Porto, Portugal
arangel@porto.ucp.pt*

In a previous study [1], a bidentate 3,4-hydroxypyridinone (3,4-HPO) ligand was used as a novel colour reagent, in a sequential injection mode, to carry out the spectrophotometric determination of iron(III); the metal ion was previously retained in nitrilotriacetic acid (NTA) microbeads. In this study, the objective was to accomplish both iron(III) retention and spectrophotometric measurement, by functionalizing the beads with the bidentate 3,4-hydroxypyridinone ligand. This way, by using the sorbent/colour reagent in consecutive cycles, the ligand consumption could be minimized. The spectrophotometric reaction was carried out at the beads surface, packed in a lab-on-valve flow cell, in a solid phase spectrometry (SPS) approach. The results obtained were compared with those obtained using the NTA Superflow resin for iron (III) retention. The functionalized beads proved to be a more efficient method to quantify iron(III) at pH~7 if compared to the NTA resin, that retains iron(III) at pH~2. This is an important factor if a direct application to biological samples, namely blood serum, is envisaged.

Acknowledgements: J. L. A. Miranda thanks for the grant NORTE-08-5369-FSE-000007_BD_1, R. B. R. Mesquita thanks to Fundação para a Ciência e a Tecnologia (FCT) and POCH of FSE for the grant SFRH/BPD/112032/2015. This work was supported by National Funds from FCT through project UID/Multi/50016/2013.

[1] Mesquita, R. B. R.; Suárez, R.; Cerdà, V.; Rangel, M.; Rangel, A. O. S. S. *Talanta* **2013**, *108*, 38-45.

TÍTULO

Book of Abstracts Analítica 2018 - 9th Meeting
of Division of Analytical Chemistry

EDITORIAL BOARD

Marcela A. Segundo
Eduarda M. P. Silva
Luísa Barreiros
Lúcia Saraiva

TYPESET AND GRAPHIC DESIGN

Joana Macedo, FFUP

ALL RIGHTS RESERVED

This publication may not be reproduced or
transmitted in whole or in part by any process,
electronic, mechanical, photocopying, recording
or otherwise, without the prior permission of the
editorial board.

EDITION

Sociedade Portuguesa de Química
Av. da República, 45 - 3^o Esq
1050-187 Lisboa - Portugal
ISBN: 978-989-8124-21-0

DATE

March 2018